

EVOLine® Kinetics




A quantum leap in electro technology:

Switching wherever you wish – without cables and without batteries.




EVOLine® Kinetics:
Radio technology makes it possible.


- No batteries.
- No firmly installed switches.
- Minimised in-wall cabling.
- No dirt.
- No maintenance.
- Low installation costs.
- Building control directly from work place.




Shadowing




Power/Standby



Climate



Light




Functions Controlling



Transmitter modules are available as built in versions for EVOLine® profiles or as wall mounted transmitters.



We are partner of the EnOcean alliance with own developments



Do without cables.
Minimise effort.
Avoid rubble.
Save more than 30 % costs.
Work environmentally
conscious.

Schulte Elektrotechnik
assists with planning
and realisation.
Simply ask us.

Planning example:
Using a floor plan to show an electrical installation with
wireless technology for a hotel room in London.

Article	Picture	Specification	Type
<p>Radio receiver, installation module 2 pole for switching of power sockets and consumer devices such as lights, fans etc. switch state indicator, Green voltage, 230 V~ actuator switching performance, max. 16 A, to receive signals from EnOcean alliance transmitters installation dimensions: 75 x 50 mm</p> <p>Fits profile: 1,2,3,4,5,6,7,8,9</p>		Black	9330 6400 0000
<p>Radio module transmitter switch, 4 channel with two switch rockers and labelling windows for switch functions, for controlling of all radio receivers; from EnOcean Alliance, range up to 30 m installation dimensions: 50 x 50 mm</p> <p>Fits profile: 1,2,3,4,5,6,7,8,9</p>		Black	9330 6410 0000
<p>Radio module transmitter switch, 2 channel with one switch rocker and labelling window for switch function, for controlling of all radio receivers; from EnOcean Alliance, range up to 30 m installation dimensions: 50 x 50 mm</p> <p>Fits profile: 1,2,3,4,5,6,7,8,9</p>		Black	9330 6420 0000

Note:

Inlay templates for the label window are available on our internet site at

www.schulte.com

EVOLine® Kinetics Modules

Article	Picture	Specification	Type
Radio wall transmitter switch, 4 channel with two switch rockers and labelling windows for switch functions, for controlling of all radio receivers, from EnOcean Alliance, range up to 30 m installation dimensions: 50 x 50 mm		Black Pure White	1599 0907 6800 1599 0907 8100
Radio wall transmitter switch, 2 channel with one switch rocker and labelling window for switch function, for controlling of all radio receivers; from EnOcean Alliance, range up to 30 m installation dimensions: 50 x 50 mm		Black Pure White	1599 0907 6900 1599 0907 8200