

EVOLINE® Port



**The Principle**

Retractable Aluminium housing with connections for power and data.

Easy to install.

**The Function.**

Press the rocking cover on the hollow, pull out at the opening, connect the cable, and retract it.

The rocking cover will release the path for the connected cables.



**Lighting variations**



Nightlight Blue



Nightlight Red



Nightlight Green



Nightlight White



Nightlight effect Blue

**Cover versions**



Silver



Stainless Steel



Black



Chrome



Gold

# EVOLine® Port

**The Applications.**

In conference rooms, offices, hotels, sales rooms, kitchens:

everywhere, where design and order are in demand.

**Special features.**

Internationally patented.

Honoured with the „Reddot award“ for the highest level of design and function.



**EVOLine® Port Individual**

Just choose the modules and the configuration! With the modular design of EVOLine® Port you have the opportunity to customise your model the way you wish.



Socket modules

Page 200 - 219



Data modules

Page 222 - 239



Multimedia modules

Page 240 - 255



Pushbutton and switch modules

Page 256 - 261



Protection modules

Page 262 - 265

**How to order**  
**Page 88 - 89**

**Surface variations**



Silver



Chrome



Gold



Black



Brass



**red**dot  
design award

# 1

**Selection  
EVOLine® Port  
profile**  
Page 93 - 95



**Empty profile EVOLine® Port**  
Rocking cover made of solid,  
Stainless Steel, in CD-design

Order number:  
9330 1360 0000




**Nightlight module, Night Blue**

Order number:  
9330 3830 0000

# 2

**Selection  
EVOLine®  
modules**  
Page 201 - 271



**on / off switch**

Order number:  
9330 0010 0000



**2 x socket  
VDE**

Order number:  
9330 1050 0000



**2 x VGA modules**

Order number:  
9330 2370 0000



**Audio modules  
Audio 1 / 2**

Order number:  
9330 2450 0000

# 3

**Selection  
EVOLine®  
supply cable  
modules**  
Page 220 - 221



**Supply cable  
modules**

Order number:  
9330 2020 0000

All connection lengths  
described here are  
measured from the  
connection point and  
mounting position of the  
modules in the profile.

**Please note for  
module selection:**

**Profile number determines  
the permissible combination  
of modules and profiles.**

EVOLine® Profile type	No.
EVOLine® Dock	1
EVOLine® U-Dock	2
<b>EVOLine® Port</b>	<b>3</b>
EVOLine® Port Lounge	4
EVOLine® Vertical	5
EVOLine® SubDesk	6
EVOLine® Caddy	7
EVOLine® FlipTop	8
EVOLine® V-Dock	9


4

Your  
EVOLine® Port  
Individual



5

Selection  
EVOLine®  
accessories  
Page 284



Hole saw  
Order number:  
1599 0901 7000

Further  
EVOLine®  
Accessories  
Page 281 - 287



EVOLine®  
Cable-  
Management  
to protect  
your cable  
distribution  
Page 272- 279



**Ordering information:**  
After receiving your order  
a product drawing will be sent  
to you , that you release with  
your signature, thus avoiding  
wrong orders.

Our general conditions of sale  
apply for all orders.  
[www.schulte.com](http://www.schulte.com)

Subject to technical changes.

The goods are not marked  
with EAN-codes.  
If required, please order  
separately.

## EVoline® Port Standard


Article	Picture	Specification	Type
<b>EVoline® Port</b> Aluminium housing Silver anodised For countertops with max. 50 mm thickness Mounting hole Ø 102 mm two sockets, 60°, 16 A, with contact protection Germany, Austria 2) supply cable 3,0 m		Rocking cover and sleeve plastic, lacquered Silver	1593 1000 3300
		Rocking cover and sleeve plastic, lacquered Black	1593 1000 5200
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour	1593 1003 1100
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour NIGHTLIGHT-effect by Blue LEDs under the rocking cover and an illuminated ON / OFF switch	1593 1003 1200
<b>EVoline® Port</b> Aluminium housing Silver anodised For countertops with max. 50 mm thickness Mounting hole Ø 102 mm three sockets, 60°, 16 A, with contact protection Germany, Austria 2) supply cable 3,0 m		Rocking cover and sleeve plastic, lacquered Silver	1593 1000 0100
		Rocking cover and sleeve plastic, lacquered Black	1593 1000 5000
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour	1593 1002 1600
		Rocking cover made of solid Stainless Steel in CD-design with plastic, lacquered in colour NIGHTLIGHT-effect by Blue LEDs under the rocking cover and an illuminated ON / OFF switch	1593 1003 1300
<b>EVoline® Port CUISINE</b> Aluminium housing Silver anodised For countertops with max. 50 mm thickness Mounting hole Ø 102 mm three sockets, 60°, 16 A, with contact protection Germany, Austria 2) s supply cable 2,5 m Plug supplied loose		Rocking cover made of plastic lacquered Silver and sleeve of plastic, Grey	1593 1000 0600

2) Appropriate socket types for international requirements can be found on page 203

# EVOLine® Port Standard

Article	Picture	Specification	Type
<p><b>EVOLine® Port CUISINE CLASSIC</b>                      Aluminium housing stained                      Antique Brass colour                      For countertops with                      max. 50 mm thickness                      Mounting hole Ø 102 mm                      three sockets, 60°, 16 A,                      with contact protection                      Germany, Austria 2)                      supply cable 2,5 m                      Plug supplied loose</p>		Rocking cover and sleeve plastic, lacquered Antique Brass colour	<b>1593 1011 5700</b>
<p><b>EVOLine® Port DATA</b>                      Aluminium housing                      Silver anodised                      For countertops with                      max. 50 mm thickness                      Mounting hole Ø 102 mm                      two sockets, 60°, 16 A,                      with contact protection                      Germany, Austria 2)                      supply cable 3,0 m                      two modular couplings for                      patch cable                      Wired RJ 45 to RJ 45, 1:1,                      CAT6 Shielded</p>		Rocking cover and sleeve plastic, lacquered Silver	<b>1593 1003 1400</b>
		Rocking cover and sleeve plastic, lacquered Black	<b>1593 1003 1500</b>
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour	<b>1593 1003 1600</b>
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour NIGHTLIGHT-effect by Blue LEDs under the rocking cover and an illuminated ON / OFF switch	<b>1593 1003 1700</b>
<p><b>EVOLine® Port DATA</b>                      Aluminium housing                      Silver anodised                      For countertops with                      max. 50 mm thickness                      Mounting hole Ø 102 mm                      three sockets, 60°, 16 A,                      with contact protection                      Germany, Austria 2)                      supply cable 3,0 m                      two modular couplings for                      patch cable                      Wired RJ 45 to RJ 45, 1:1,                      CAT6 Shielded</p>		Rocking cover and sleeve plastic, lacquered Silver	<b>1593 1003 1800</b>
		Rocking cover and sleeve plastic, lacquered Black	<b>1593 1003 1900</b>
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour	<b>1593 1003 2000</b>
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour NIGHTLIGHT-effect by Blue LEDs under the rocking cover and an illuminated ON / OFF switch	<b>1593 1003 2100</b>

2) Appropriate socket types for international requirements can be found on page 203

Article	Picture	Specification	Type
<p><b>EVOLine® Port MULTIMEDIA PROFESSIONAL</b>            Aluminium housing            Silver anodised            For countertops with max. 50 mm thickness            Mounting hole Ø 102 mm            two sockets, 60°, 16 A, with contact protection            Germany, Austria 2)            supply cable 3,0 m            two modular couplings for patch cable            Wired RJ 45 to RJ 45, 1:1, CAT6 Shielded            a 15-pin VGA HDD connector and a 3.5 mm audio jack            in angled outlet            each 3,0 m cable and connector</p>		<p>Rocking cover and sleeve plastic, lacquered Silver</p> <p>Rocking cover and sleeve plastic, lacquered Black</p> <p>Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour</p> <p>Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour            NIGHTLIGHT-effect by Blue LEDs under the rocking cover and an illuminated ON / OFF switch</p>	<p>1593 1019 7800</p> <p>1593 1019 7900</p> <p>1593 1019 8000</p> <p>1593 1019 8100</p>

2)Appropriate socket types for international requirements can be found on page 203

# EVOLine® Port Individual

Article

Picture

Specification

Type

Just combine the modules in the basic profile of your choice!  
Thanks to the modular design of the EVOLine® Port, you have the possibility of customise models to suit your needs.  
The built-in, surface-treated EVOLine® Ports in Chrome, Gold and Silver with Stainless Steel lid allow for any module loading up to max. 250 mm (For example, five modules with a height of 50 mm).  
The total length of these EVOLine® Ports is limited to 340 mm.

**For more information about  
„How to order EVOLine®“  
See pages 98-99**

**Empty Profile EVOLine® Port**  
Aluminium housing  
Silver anodised  
For countertops with  
max. 50 mm thickness  
Mounting hole Ø 102 mm



with rocking cover and sleeve  
plastic, lacquered  
Silver

**9330 1830 0000**

Rocking cover made of solid  
Stainless Steel  
in CD-design and sleeve  
plastic, lacquered  
in colour

**9330 1360 0000**

**Empty EVOLine® Port  
CLASSIC**  
Aluminium housing  
stained Antique Brass colour  
For countertops with  
max. 50 mm thickness  
Mounting hole Ø 102 mm



with rocking cover and sleeve  
plastic, lacquered  
Antique Brass colour

**9330 2710 0000**

## EVOLine® Port Individual

Article	Picture	Specification	Type
<p><b>Empty EVOLine® Port GOLD Edition</b> Aluminium housing Gold plated For countertops with max. 50 mm thickness Mounting hole Ø 102 mm</p>		<p>Rocking cover made of steel, Gold plated and sleeve plastic, lacquered Black</p>	<p><b>9330 2730 0000</b></p>
<p><b>Empty EVOLine® Port CHROME</b> Aluminium housing chromed For countertops with max. 50 mm thickness Mounting hole Ø 102 mm</p>		<p>with a rocking cover made of steel, Chrome, and sleeve plastic, lacquered Black</p>	<p><b>9330 2750 0000</b></p>
<p><b>Empty EVOLine® Port Black</b> Aluminium housing Black anodised For countertops with max. 50 mm thickness Mounting hole Ø 102 mm</p>		<p>with rocking cover and sleeve plastic, lacquered Black</p>	<p><b>9330 5560 0000</b></p>

# EVOLine® Port Individual

Article

**Empty EVOLine® Port Colour**  
 Aluminium housing  
 Silver anodised  
 For countertops with max. 50 mm thickness  
 Mounting hole Ø 102 mm

Picture



Specification

with rocking cover and sleeve  
 plastic, lacquered  
 RAL colour on request  
 Minimum order quantity of 50 pcs per tone

Type

9330 2720 0000

**Nightlight LED Modules for EVOLine® Port**  
 LEDs under rocking cover



# EVOLine® Port Nightlight

Light colour Night Blue

9330 3830 0000

Light colour Ruby Red

9330 3840 0000

Light colour Emerald Green

9330 5790 0000

Light colour Soft White

9331 0260 0000