

EVOLine® Port Lounge



1

**Selection
EVOLine®
Port Lounge**
Page 102 - 103



Empty housing
EVOLine® PortLounge
Stainless Steel

Order number:
9330 6670 0000




Nightlight module, night Blue

Order number:
9330 3830 0000

2

**Selection
EVOLine®
modules**
Page 201 - 271



on / off switch

Order number:
9330 0010 0000




2 x socket
VDE

Order number:
9330 1050 0000



VGA modules

Order number:
9330 2370 0000



Data modules
CAT 6

Order number:
9330 1230 0000

3

**Selection
EVOLine®
supply cable**
Page 220 - 221



Supply cable
modules

Order number:
9330 2020 0000

All cable lengths are measured from the connection point and mounting position of the modules in the profile.

Please note for module selection:

the profile number determines the permissible combination of modules and profiles.

EVOLine® Profile type	No.
EVOLine® Dock	1
EVOLine® U-Dock	2
EVOLine® Port	3
EVOLine® Port Lounge	4
EVOLine® Vertical	5
EVOLine® SubDesk	6
EVOLine® Caddy	7
EVOLine® FlipTop	8
EVOLine® V-Dock	9

4

Your
EVoline®
Port Lounge
Individual



5

Selection
EVoline®
accessories
Page 284



EVoline®
Port Lounge
glass plate

Order number:
9330 9750 0000

Futher
EVoline®
accessories
Page 281 - 287



EVoline®
Cable-
Management
to protect
your cable
distribution



Page 272- 279



Ordering information:

After receiving your order a product drawing will be sent to you, that you release with your signature, thus avoiding wrong orders.

Our general conditions of sale apply for all orders.
www.schulte.com

Subject to technical changes.

The goods are not marked with EAN-codes.
If required, please order separately.

Article	Picture	Specification	Type
<p>EVoline® Port Lounge Aluminium housing Silver anodised three sockets, 60 °, 16 A, with contact protection Germany, Austria 2) supply cable 3,0 m rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour. Body leather hexagonally sewn, dyed Black Cable outlet, from base with cable drum</p>			<p>1593 4400 0200</p>
<p>EVoline® Port Lounge with glass Aluminium housing Silver anodised three sockets, 60 °, 16 A, with contact protection Germany, Austria 2) supply cable 3,0 m Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour Body leather hexagonally sewn, dyed Black Cable outlet, from base with cable drum Glass plate Ø 600 mm, Strong ESG 10 mm thickness, (safety glass)</p>			<p>1593 4400 0400</p>

2)Appropriate socket types for international requirements can be found on page 203

EVOLINE® Port Lounge

Article

Picture

Specification

Type

EVOLINE® Port Lounge DATA
Aluminium housing
Silver anodised
three sockets, 60 °, 16 A,
with contact protection
Germany, Austria 2)
supply cable 3,0 m
two telephone-/data sockets
(Reichle & De-Massari)
each with 3.0 m cable and
connector RJ45 CAT6 shielded-
Rocking cover made of solid
Stainless Steel in CD-design and
sleeve plastic, lacquered
in colour.
Body leather hexagonal sewn,
dyed Black.
Cable outlet, from base
with cable drum.



1593 4400 0300

EVOLINE® Port Lounge DATA
with glass
Aluminium housing
Silver anodised
three sockets, 60 °, 16 A,
with contact protection
Germany, Austria 2)
supply cable 3,0 m
two telephone-/data sockets
(Reichle & De-Massari)
each with 3.0 m cable and
connector RJ45 CAT6 shielded
rocking cover made of solid
Stainless Steel in CD-design and
sleeve plastic, lacquered in colour
Body leather, hexagonal sewn,
dyed Black
Cable outlet, from base
with cable drum.
Glass plate Ø 600 mm,
strong ESG 10 mm thickness,
(safety glass)



1593 4400 0500

Article

Picture

Specification

Type

Just combine the modules in the basic profile of your choice!

Thanks to the modular design of the EVOLine® Port Lounge, you have the possibility of customise models to suit your needs. The built-in, surface-treated EVOLine® Port in Chrome, Gold and Silver with Stainless Steel lid allow for any module loading up to max. 250 mm (For example, five modules with a height of 50 mm). The total length of these EVOLine® Ports is limited to 340 mm. For more information about

**More information about
„How to order EVOLine®“
See pages 98-99**

**Empty EVOLine® Port Lounge
Stainless Steel**
Aluminium housing
Silver anodised,
Body leather hexagonal sewn,
dyed Black
Cable outlet, from base
with cable drum



Rocking cover made of solid
Stainless Steel in CD-design
and sleeve plastic, lacquered
in colour

9330 6670 0000

Empty EVOLine® Port Lounge CHROME
Aluminium housing
Chrome
Body leather hexagonal sewn,
dyed Black
Cable outlet, from base
with cable drum



Rocking cover made of steel,
chromed, and sleeve plastic,
lacquered Black

9330 6680 0000

EVOLine® Port Lounge Individual

Article


Picture

Specification

Type

Empty EVOLine® Port Lounge GOLD

Aluminium housing
Gold plated
Body leather hexagonal sewn,
dyed Black
Cable outlet, from base
with cable drum




Rocking cover made of steel,
Gold plated, and sleeve plastic,
lacquered Black

9330 6690 0000

Ordering information:

For an order of
5 EVOLine® Port Lounge
Leather colour of choice



EVOLine® Port Lounge
Glass table top
Ø 600 mm,
10 mm clear hardened safety glass



EVOLine® Port Lounge / Accessories

9330 9750 0000