

EVoline® V-Dock



**The principle.**

Horizontal or vertical power,  
data, multimedia and light  
supply


packaged in an attractive  
Aluminium profile.



**Profile holder / LED**  
for EnviroLight.  
Length to fit profile  
V-Dock.

Order number silver:  
9331 0600 0000

Order number ALANOX®:  
9331 2270 0000



Technical changes  
reserved.


# EVoline® V-Dock

## The application.

Variable length, suitable to fit into your furniture.

## The unusual.

Integrated lighting that sets visual highlights.  
See page 146 -147




### Profile holder / Right Angular

for V-Dock.

Length : Standard 100 mm  
(9331 1850 0000)

or

length of the whole profile  
(9331 0610 0000)



## EVoline® V-Dock Individual

Just choose the modules and the configuration!  
With the modular design of EVoline® V-Dock you have the opportunity to customise your model the way you wish.



Socket modules

Page 200 - 219



Data modules

Page 220 - 239



Multimedia modules

Page 240 -255



Pushbutton and switch modules

Page 256 - 261



Protection modules

Page 262 - 265

**How to order**  
Page 136-137

# 1

**Selection  
EVOLine®  
V-Dock profiles**  
Page 139



**Empty profile EVOLine® V-Dock**

Order number:  
9330 5600 0000




**Flat profile  
bracket**

Order number:  
9331 0610 0000


# 2

**Selection  
EVOLine®  
modules**  
Page 201 - 271



**3 x sockets  
VDE**

Order number:  
9330 0090 0000



**Data Modules  
CAT 6**

Order number:  
9330 3920 0000

# 3

**Selection  
EVOLine®  
supply cable**  
Page 220 - 221



**Supply cable**

Order number:  
9330 9510 0000

All cable lengths are measured from the connection point and mounting position of the modules in the profile.

**Please note for  
module selection:**

**the profile number determines  
the permissible combination of  
modules and profiles.**


EVOLine® Profile type	No.
EVOLine® Dock	1
EVOLine® U-Dock	2
EVOLine® Port	3
EVOLine® Port Lounge	4
EVOLine® Vertical	5
EVOLine® SubDesk	6
EVOLine® Caddy	7
EVOLine® FlipTop	8
<b>EVOLine® V-Dock</b>	<b>9</b>

4

Your  
EVOLine®  
V-Dock  
Individual

5

EVOLine®  
Accessories  
range  
Page 281 - 287



EVOLine®  
Cable-  
Management  
to protect  
your cable  
distribution  
Page 272- 279

**Ordering information:**

After receiving your order a product drawing will be sent to you, that you release with your signature, thus avoiding wrong orders.

Our general conditions of sale apply for all orders.  
[www.schulte.com](http://www.schulte.com)

Subject to technical changes.

The goods are not marked with EAN-codes.  
If required, please order separately.

Article	Picture	Specification	Type
<p><b>EVOLine® V-Dock CUISINE</b> Aluminium housing three sockets, 0°, 16 A, with contact protection Germany, Austria 2) supply cable 2,5 m Plug supplied loose</p>		Silver anodised	<b>1593 6000 1300</b>
<p><b>EVOLine® V-Dock DATA SMALL</b> Aluminium housing three sockets, 0°, 16 A, with contact protection Germany, Austria 2) supply cable 3,0 m two modular couplings to accept patch leads RJ 45 to RJ 45, 1:1, CAT6 shielded</p>		Silver anodised	<b>1593 6000 2300</b>
<p><b>EVOLine® V-Dock MULTIMEDIA</b> Aluminium housing three sockets, 0°, 16 A, with contact protection Germany, Austria 2) supply cable 3,0 m two modular couplings to accept patch leads RJ 45 to RJ 45, 1:1, CAT6 shielded a 15-pin VGA. Female HDD, one audio-jack 3,5 mm, one USB 2.0 Type A female, each 3.0 m cable with connector plug</p>		Silver anodised	<b>1593 6000 3300</b>

Mounting with flat profile bracket  
see page 135

Mounting sets, foot or  
Mounting kits  
see page 280-287

2) Appropriate socket types for international requirements can be found on page 203

# EVOLine® V-Dock Individual

Article

Picture

Specification

Type

**Just combine the modules in the basic profile of your choice!**

Thanks to the modular design of the EVOLine® V-Dock, you have the opportunity to customize individual models according to your wishes.

**„How to order EVOLine®“**

**See pages 136 -137**

**Empty profile EVOLine® V-Dock**  
Aluminium housing

Mounting with flat profile bracket  
see page 134 -135

Mounting sets, foot or  
mounting kits  
see pages 280-287



Silver anodised

**9330 5600 0000**

Mounting with flat profile bracket  
see page 135

Mounting sets, foot or  
Mounting kits  
see page 280-287